ELSEVIER

Volume 191, Issues 1–3, 1 August 2007

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

Preface 1
J.S. Gunasekera, B.V. Mehta

Design of processes and products through simulation of three-dimensional extrusion 2
D.Y. Yang, K.J. Kim

Springback behavior of brass in micro sheet forming 7
J.-T. Gau, C. Principe, M. Yu

A model for an adaptable axisymmetric extrusion die with a bearing length 11
W.A. Gordon, C.J. Van Tyne, Y.H. Moon

Deformation characteristics of Au wire bonding 16
H. Saiki, H. Nishitake, T. Yotsumoto, Y. Marumo

Characterization of yielding of sheet metal at elevated temperatures 20
W. Hußnätter, M. Merklein, M. Geiger

Effect of material properties on deformation behavior in incremental tube-burring process using a bar tool 24
T. Teramae, K. Manabe, K. Ueno, K. Nakamura, H. Takeda

Processing effects in aluminum micro-channel tube for brazed R744 heat exchangers 30
G. Vamadevan, F.F. Kraft

Modeling the integration between technological product specifications and inspection process 34
R. Hunter, J. Perez, J. Marquez, J.C. Hernandez

Design guideline of multi-pass equal channel angular extrusion for uniform strain distribution 39
J.-H. Lee, I.-H. Son, Y.-T. Im, S.H. Chon, J.K. Park

Experimental investigations of the roll load and roll torque when high strength steel is roll formed 44
M. Lindgren

Preparation of iron–platinum nanoparticles in water/triton/cyclohexane microemulsions 48
K.M. Hyie, I.I. Yaacob

Determination of optimum process parameters for wrinkle free products in deep drawing process 51
A. Agrawal, N.V. Reddy, P.M. Dixit

A study on monobloc tube drawing for steering input shaft 55
S.K. Lee, D.C. Ko, B.M. Kim, J.H. Lee, S.W. Kim, Y.S. Lee

Experimental and numerical study on deformation behavior in dieless drawing process of superplastic microtubes 59
T. Furushima, K. Manabe

The evaluation of residual stress on the drawn wire using nano-indentation test 64
D.C. Ko, S.K. Lee, W.H. Hwangb, B.M. Kim, C.M. Bae

Chitosan-mediated electrosynthesis of organic–inorganic nanocomposites 68
I. Zhitomirsky, A. Hashambhoy

Behavior pattern and parametric characterization for low density crushable foams 73
Q. Liu, B. O'Toole

Friction stir processing of commercial AZ31 magnesium alloy 77
B.M. Darras, M.K. Khraisheh, F.K. Abu-Farha, M.A. Omar

Metallographic evaluation of welded forging preforms 82
J. Domblesky, F.F. Kraft

Elsevier B.V.

Investigations into collar drawing using urethane pads 87
S. Thiruvarudchelvan, M.J. Tan

An analytical model for improving precision in single point incremental forming 92
G. Ambrogio, V. Cozza, L. Filice, F. Micari

An overview of magnetostriction, its use and methods to measure these properties 96
N.B. Ekreem, A.G. Olabi, T. Prescott, A. Rafferty, M.S.J. Hashmi

Polymer and composite foam for hydrogen storage application 102
G.A. Banyay, M.M. Shaltout, H. Tiwari, B.V. Mehta

Statistical analysis of MIG-laser CO_2 hybrid welding of Al–Mg alloy 106
G. Casalino

The influence of arc transfer mode in hybrid laser-mig welding 111
G. Campana, A. Fortunato, A. Ascari, G. Tani, L. Tomesani

Numerical investigation of austenite grain size distribution in square-diamond pass hot bar rolling 114
H.-W. Lee, H.-C. Kwon, Y.-T. Im, P.D. Hodgson

Development of a test method for the rheological characterization of polymers under the injection molding process conditions 119
P.F. Bariani, M. Salvador, G. Lucchetta

Use of powder metallurgy (PM) compacted electrodes for electrical discharge surface alloying/modification of Ti–6Al–4V alloy 123
S.K. Ho, D.K. Aspinwall, W. Voice

Characterization of seam weld quality in AA6082 extruded profiles 127
L. Donati, L. Tomesani, G. Minak

Lateral crushing of circular and non-circular tube systems under quasi-static conditions 132
E. Morris, A.G. Olabi, M.S.J. Hashmi

Effect of initial thickness on shear bending process of circular tubes 136
M. Goodarzi, T. Kuboki, M. Murata

Examination of machining parameters on surface roughness in EDM of tool steel 141
M. Kiyak, O. Çakır

Development of a ball groove measuring system for forged outer race constant velocity (CV) joints 145
K.S. Park, B.J. Kim, Y.H. Moon

Microstructural analysis of AISI 304 bars welded with high speed pulsed discharges 149
G. Casalino, F.W. Panella

Chemical-assisted ultrasonic machining of glass 153
J.P. Choi, B.H. Jeon, B.H. Kim

Effects of tooling temperatures on formability of titanium TWBs at elevated temperatures 157
C.P. Lai, L.C. Chan, C.L. Chow

Corrosion behavior of vacuum sintered duplex stainless steels 161
L.A. Dobrzański, Z. Brytan, M. Actis Grande, M. Rosso

Experimental investigation for rheology forming process of Al–7% Si aluminum alloy with electromagnetic system 165
J.W. Bae, T.W. Kim, C.G. Kang

Residual stresses in aluminum castings 170
J.E. Wyatt, J.T. Berry, A.R. Williams

Springback determination of sheet metals in an air bending process based on an experimental work 174
M.L. Garcia-Romeu, J. Ciurana, I. Ferrer

High cycle fatigue life prediction of cold forging tools based on workpiece material property 178
M.A. Saroosh, H.-C. Lee, Y.-T. Im, S.-W. Choi, D.-L. Lee

Electro-discharge compaction of WC–Co and W–Ni–Fe–Co composite materials 182
E.G. Grigoriev, A.V. Rosliakov

Pulsed liquid impact machining of materials 185
M.J. Jackson

The effect of strain rate sensitivity evolution on deformation stability during superplastic forming 189
M.A. Nazzal, M.K. Khraisheh, F.K. Abu-Farha

Investigation of the size effect on crack propagation using finite element method and strain gradient plasticity 193
S.M. Byon, H.S. Kim, Y. Lee

Natural weathering effects on some properties of CPVC pipe material 198
N. Merah

Cavitation phenomenon of commercially pure titanium 202
M.J. Tan, X.J. Zhu, S. Thiruvarudchelvan

Prediction of wear and surface roughness in electro-discharge diamond grinding 206
S. Kumar, S.K. Choudhury

Creep feed grinding of a gamma titanium aluminide intermetallic alloy using SiC abrasives 210
R. Hood, D.K. Aspinwall, W. Voice

Thermo-mechanical modeling of laser welding of AA5083 sheets 215
R. Spina, L. Tricarico, G. Basile, T. Sibillano

Experimental analysis of the laser milling process parameters 220
S.L. Campanelli, A.D. Ludovico, C. Bonserio, P. Cavalluzzi, M. Cinquepalmi

Improvement of surface integrity of electro-chemical discharge machining process using powder-mixed electrolyte 224
M.-S. Han, B.-K. Min, S.J. Lee

Laser processing of multicrystalline silicon for texturization of solar cells 228
L.A. Dobrzański, A. Drygała

Sintering and vitrification heat treatment of cBN grinding wheels 232
M.J. Jackson

Synthesis and characterization of magnetic iron oxide nanoparticles via w/o microemulsion and Massart's procedure 235
A.B. Chin, I.I. Yaacob

Casting of Al–Si hypereutectic aluminum alloy strip using an unequal diameter twin roll caster 238
T. Haga, H. Inui, H. Watari, S. Kumai

Evaluation of methods for metal cleanliness assessment in die casting 242
J. Wannasin, D. Schwam, J.F. Wallace

Pressurized solidification of magnesium alloy AM50A 247
A. Yu, S. Wang, N. Li, H. Hu

Mathematical model for the twin roll type strip continuous casting of magnesium alloy considering thermal flow phenomena 251
J.W. Bae, C.G. Kang, S.B. Kang

Crash behavior of a 3D S-shape space frame structure 256
C. Zhang, A. Saigal

FEA-based methodology for the prediction of part–fixture behaviour and its applications 260
S. Ratchev, K. Phuah, S. Liu

Quantitative prediction of microporosity in aluminum alloys 265
E. Escobar de Obaldia, S.D. Felicelli

A new approach for the modelling of residual stresses induced by turning of 316L 270
F. Valiorgue, J. Rech, H. Hamdi, P. Gilles, J.M. Bergheau

Effect on cutting force in turning hardened tool steels with cubic boron nitride inserts 274
L. Qian, M.R. Hossan

Selection of cutting conditions for a stable milling of flexible parts with bull-nose end mills 279
F.J. Campa, L.N. López de Lacalle, A. Lamikiz, J.A. Sánchez

Fabrication of micro-billet by sheet extrusion 283
K. Hirota

The role of friction in the extrusion of AA6060 aluminum alloy, process analysis and monitoring 288
M. Schikorra, L. Donati, L. Tomesani, M. Kleiner

Improvement of micro-drilled hole quality for printed wiring boards 293
H. Nakagawa, K. Ogawa, A. Kihara, T. Hirogaki

Influence of microshot peening on surface layer characteristics of structural steel 297
Y. Harada, K. Fukaura, S. Haga

Electrode structure for high transmittance and aperture ratio in TFT-LCD 302
S. Yoon, T. Won

A semi-analytical model for predicting the wear contour in rod rolling process 306
S.M. Byon, S.I. Kim, Y. Lee

Requirements of a dieless wire drawing system 310
M.D. Naughton, P. Tiernan

Influence of temperature on the initiation of adhesive wear with respect to deep drawing of aluminum-alloys 314
P. Groche, G. Nitzsche

Effect of cooling rate on the solidification behavior of AC $AlSi_7Cu_2$ alloy 317
L.A. Dobrzański, R. Maniara, J. Sokołowski, W. Kasprzak

Comparison of the surface alloying of the 32CrMoV12-28 tool steel using TiC and WC powder 321
L.A. Dobrzański, K. Labisz, E. Jonda, A. Klimpel

The effects of thin-film thickness on the formaton of metallic patterns by direct nanoimprint 326
M.-C. Cheng, C.-K. Sung, W.H. Wang

Theoretical and experimental investigations of finish machining with a rounded edge tool 331
N. Fang, G. Fang

Thermal distortions in the machining of small bores 335
V. Bana, B. Karpuschewski, J. Kundrák, A.M. Hoogstrate

Torsional fatigue behavior of adhesively joined tubes 339
P. Portillo, Dr.J. Kreiner, Dr.T. Lancey

Numerical and experimental investigations on the effect of the heating strategy and the punch speed on the warm deep drawing of magnesium alloy AZ31 342
G. Palumbo, D. Sorgente, L. Tricarico, S.H. Zhang, W.T. Zheng

Influence of montmorillonite clay on the thermal and mechanical properties of conventional carbon fiber reinforced composites 347
Y. Zhou, F. Pervin, V.K. Rangari, S. Jeelani

New possibilities of composite materials application—Materials of specific magnetic properties 352
L.A. Dobrzański, M. Drak, B. Ziębowicz

CDRX modelling in friction stir welding of AA7075-T6 aluminum alloy: Analytical approaches 356
G. Buffa, L. Fratini, R. Shivpuri

Investigation on properties and microstructures of spheroidal graphite Fe–C–2Si and Fe–C–2Al cast irons 360
M.M. Haque

Optical detection of conduction/keyhole mode transition in laser welding 364
T. Sibillano, A. Ancona, V. Berardi, E. Schingaro, G. Basile, P.M. Lugarà

Experimental and analytical evaluation on flow stress of tubular material for tube hydroforming simulation 368
W.J. Song, J. Kim, B.S. Kang

Deformation behavior of wrought aluminum alloys in incremental compression experiment with a closed die 372
W.Y. Kim, C.G. Kang, B.M. Kim

Thermal de-vitrification and formation of single phase nano-crystalline structure in Fe-based metallic glass alloys 377
A.O. Olofinjana, K.S. Tan

Mechanical characterization of CO_2 laser beam butt welds of AA5083 381
A. Ancona, P.M. Lugarà, D. Sorgente, L. Tricarico

Numerical analysis of debinding and sintering of MIM parts 385
D.F. Heaney, R. Spina

Shape and dimensional accuracy in Single Point Incremental Forming: State of the art and future trends 390
F. Micari, G. Ambrogio, L. Filice

A study of hydrostatic extrusion as a consolidation process for fabricating ultrafine-grained bulk Al–Mg alloy 396
S. Lee, C.Y. Yoon, H.J. Park, S.S. Kim, E.J. Kim, T.H. Choi, K.Y. Rhee

Robust design of flank milling parameters based on grey-Taguchi method 400
J. Kopac, P. Krajnik

Performance of different abrasive materials during abrasive water jet machining of glass 404
A.A. Khan, M.M. Haque

Author index 408

Subject index 410